


HAKEN


- Gelegeerd staal
- Grade 80
- Volgens EN-818
- Veiligheidsfactor 4:1

Gaffelhaak met klep

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	Gewicht Kg
				Maten in mm			
	GHK06	6	1,25	74	67	20	0,27
	GHK0708	7-8	2	88	86	31	0,51
	GHK10	10	3,2	109	111	39	0,82
	GHK13	13	5,4	138	140	50	1,60
	GHK16	16	8	168	180	52	3,90
	GHK1820	18-20	12,6	207	-	56	5,10
	GHK22	22	15,8	166	-	72	6,30





Gaffel inkorthaak

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	Gewicht Kg
				Maten in mm			
	GIH0506	6	1,25	34	48	7	0,16
	GIH0708	7-8	2	43	53	9	0,26
	GIH10	10	3,2	50	65	12	0,46
	GIH13	13	5,4	76	79	15	0,83
	GIH16	16	8	94	101	20	1,3
	GIH20	18-20	12,6	108	-	22	3,3
	GIH22	22	15,8	-	-	25	-




Gaffel veiligheidshaak

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	Gewicht Kg
				Maten in mm			
	GVH06	6	1,25	87	74	36	0,47
	GVH0708	7-8	2	113	88	46	0,74
	GVH10	10	3,2	137	106	56	1,60
	GVH13	13	5,4	172	136	72	3,20
	GVH16	16	8	215	173	90	5,20
	GVH1820	18-20	12,6	238	196	102	8,10
	GVH22	22	15,8	280	228	111	13,50




Gieterijhaak

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	O	Gewicht Kg
				Maten in mm				
	GH07	6	1,25	95	-	50	15	0,60
	GH08	7-8	2	125	-	64	18	1,10
	GH10	10	3,2	148	-	78	22	2,10
	GH13	13	5,4	175	-	89	27	3,50
	GH16	16	8	207	-	102	35	5,30
	GH20	18-20	12,6	235	-	114	40	10,60
	GH22	22	15,8	265	-	127	47	13,10




Klauwgaffel inkorthaak

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	Gewicht Kg
				Maten in mm			
	KGIH06	6	1,25	49	40	6,5	0,20
	KGIH78	7-8	2	54,5	46	5,8	0,30
	KGIH10	10	3,2	77	56	10,5	0,74
	KGIH13	13	5,4	102,5	74	13,6	1,60
	KGIH16	16	8	114	90	16,8	2,50
	KGIH20	18-20	12,6	145	104	21,6	3,00




Ooghaak met klep

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	O	Gewicht Kg
					Maten in mm			
	OHK06	6	1,25	86	71	24	25	0,26
	OHK0708	7-8	2	101	82	31	28	0,46
	OHK10	10	3,2	120	98	34	38	0,85
	OHK13	13	5,4	153	123	45	43	1,70
	OHK16	16	8	180	158	48	54	3,11
	OHK1820	18-20	12,6	218	190	54	60	5,10





Oog inkorthaak

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	O	Gewicht Kg
					Maten in mm			
	OIH06	6	1,25	42	48	7	-	0,15
	OIH0708	7-8	2	57	53	9	-	0,24
	OIH10	10	3,2	70	65	12	-	0,36
	OIH13	13	5,4	99	79	15	-	0,66
	OIH16	16	8	115	101	20	-	1,20
	OIH20	18-20	12,6	111	-	22	-	2,80




Oog veiligheidshaak

	Artikelcode	Ketting diameter	SWL Ton	A	B	C	O	Gewicht Kg
					Maten in mm			
	OVH06	6	1,25	110	74	36	24	0,49
	OVH0708	7-8	2	134	88	46	30	0,75
	OVH10	10	3,2	167	106	56	36	1,50
	OVH13	13	5,4	196	136	72	47	3,20
	OVH16	16	8	254	173	90	60	5,60
	OVH20	18-20	12,6	274	196	102	66	7,60
	OVH22	22	15,8	317	228	115	73	13,40




Veiligheids wartelhaak

	Artikelcode	SWL Ton	A	B	C	Gewicht Kg
				Maten in mm		
	VWH01	1	146	74	38	0,6
	VWH02	2	177	88	46	1,0
	VWH37	3,7	218	106	56	2,2
	VWH06	6	274	136	72	4,5
	VWH08	8	335	173	90	8,2
	VWH12	12	375	196	102	11,7



Wartelhaak met klep

	Artikelcode	SWL Ton	A	B	C	Gewicht Kg
	Maten in mm					
	WHK012	1,25	116	72,5	23,6	0,34
	WHK016	1,60	136	80	24,6	0,57
	WHK025	2,50	155	91	26,9	1,02
	WHK032	3,20	165	102	30,2	1,04
	WHK054	5,4	191	123	38,1	2,25
	WHK080	8,0	245	160	45,2	4,67
	WHK115	11,5	289	192	51	7,34
	WHK160	16	311	212	66,5	10,5
	WHK220	22	424	263	86,5	21,3

